Author Index

Adams, J.C., see Tarnowski, B.I. (54) 123

Bancroft, B.R., Boettcher, F.A., Salvi, R.J. and Wu, J.
Effects of noise and salicylate on auditory evoked-response thresholds in the chinchilla (54) 20
Bobbin, R.P., Ceasar, G. and Fallon, M.
Changing cation levels (Mg^{2+}, Ca^{2+}, Na^{+}) alters the release of glutamate, GABA and other substances from the guinea pig cochlea (54) 135
Boettcher, F.A., see Bancroft, B.R. (54) 20
Brix, J., see Pickles, J.O. (54) 153

Ceasar, G., see Bobbin, R.P. (54) 135
Churchill, L., see Code, R.A. (54) 281
Code, R.A. and Churchill, L.
$GABA_A$ receptors in auditory brainstem nuclei of the chick during development and after cochlea removal (54) 281

Decraemer, W.F., Khanna, S.M. and Funnell, W.R.J.
Malleus vibration mode changes with frequency (54) 305
Ding, D.-l., see Gao, W.-y. (54) 296
Doyle, W.J. and Webster, D.B.
Neonatal conductive hearing loss does not compromise brainstem auditory function and structure in rhesus monkeys (54) 145
Drenckhahn, D., Merte, C., Von Düring, M., Smolders, J. and Klinke, R.
Actin, myosin and alpha-actinin containing filament bundles in hyaline cells of the caiman cochlea (54) 29

EL Barbary, A.
Auditory nerve of the normal and jaundiced rat. I. Spontaneous discharge rate and cochlear nerve histology (54) 75
EL Barbary, A.
Auditory nerve of the normal and jaundiced rat. II. Frequency selectivity and two-tone rate suppression (54) 91

Fallon, M., see Bobbin, R.P. (54) 135
Fechter, L.D., see Hoeffding, V. (54) 39
Figueroa, L., see Scarfone, E. (54) 247
Flock, Å., see Scarfone, E. (54) 247
Funnell, W.R.J., see Decraemer, W.F. (54) 305

Gao, W.-y., Ding, D.-l., Zheng, X.-y. and Ruan, F.-m.
Changes in the stereocilia and non-monotonic pattern of threshold shift after exposure to impulse noise (54) 296
Geisler, C.D.
A cochlear model using feedback from motile outer hair cells (54) 105
Greenwood, D.D.
Critical bandwidth and consonance in relation to cochlear frequency-position coordinates (54) 164
Greenwood, D.D.
Critical bandwidth and consonance: Their operational definitions in relation to cochlear nonlinearity and combination tones (54) 209

Harrison, R.V., Nagasawa, A., Smith, D.W., Stanton, S. and Mount, R.J.
Reorganization of auditory cortex after neonatal high frequency cochlear hearing loss (54) 11
Hellstrom, L.I., see Tarnowski, B.I. (54) 123
Hoeffding, V. and Fechter, L.D.
Unusual morphology of the stria vascularis in pigmented strain 2/NCR guinea pigs (54) 39
Hradek, G.T., see Leake, P.A. (54) 251
Hultcrantz, M., Snyder, R., Rebscher, S. and Leake, P.
Effects of neonatal deafening and chronic intracochlear electrical stimulation on the cochlear nucleus in cats (54) 272

Ikeda, K. and Morizono, T.
The ionic and electric environment in the endolymphatic sac of the chinchilla: Relevance to the longitudinal flow (54) 118

Jiang, Z.D., Zheng, M.S., Sun, D.K. and Liu, X.Y.
Brainstem auditory evoked responses from birth to adulthood: Normative data of latency and interval (54) 67

Khanna, S.M., see Decraemer, W.F. (54) 305
Klinke, R., see Drenckhahn, D. (54) 29

Leake, P., see Hultcrantz, M. (54) 272
Leake, P.A., Hradek, G.T., Rebscher, S.J. and Snyder, R.L.
Chronic intracochlear electrical stimulation induces selective survival of spiral ganglion neurons in neonatally deafened cats (54) 251
Lee, F.S., see Tarnowski, B.I. (54) 123
Liu, X.Y., see Jiang, Z.D. (54) 67

Merchán, J.A., see Prieto, J.J. (54) 59
Merte, C., see Drenckhahn, D. (54) 29
Mills, J.H., see Smith, D.I. (54) 1
Morizono, T., see Ikeda, K. (54) 118
Mount, R.J., see Harrison, R.V. (54) 11

Nagasawa, A., see Harrison, R.V. (54) 11

Patuzzi, R.B. and Thompson, M.L.
Cochlear efferent neurones and protection against acoustic trauma: Protection of outer hair cell receptor current and interanimal variability (54) 45
Pickles, J.O., Von Perger, M., Rouse, G.W. and Brix, J.
The development of links between stereocilia in hair cells of the chick basilar papilla (54) 153
Prieto, J.J., Rueda, J., Rubio, M.E. and Merchán, J.A.
Pilocarpine elicits the interdental cell secretory activity of the inner ear (54) 59

Rebscher, S., see Hultcrantz, M. (54) 272
Rebscher, S.J., see Leake, P.A. (54) 251
Rouse, G.W., see Pickles, J.O. (54) 153
Ruan, F.-m., see Gao, W.-y. (54) 296
Rubio, M.E., see Prieto, J.J. (54) 59
Rueda, J., see Prieto, J.J. (54) 59

Salvi, R.J., see Bancroft, B.R. (54) 20
Scarfone, E., Ulfendahl, M., Figueroa, L. and Flock, Å.
Anaesthetics may change the shape of isolated Type I hair cells (54) 247
Schmiedt, R.A., see Tarnowski, B.I. (54) 123
Smith, D.I. and Mills, J.H.
Low-frequency component of the gerbil brainstem response: response characteristics and anesthesia effects (54) 1
Smith, D.W., see Harrison, R.V. (54) 11
Smolders, J., see Drenckhahn, D. (54) 29
Snyder, R., see Hultcrantz, M. (54) 272
Snyder, R.L., see Leake, P.A. (54) 251
Stanton, S., see Harrison, R.V. (54) 11
Sun, D.K., see Jiang, Z.D. (54) 67

Tarnowski, B.I., Schmiedt, R.A., Hellstrom, L.I., Lee, F.S. and Adams, J.C.
Age-related changes in cochleas of mongolian gerbils (54) 123
Thompson, M.L., see Patuzzi, R.B. (54) 45

Ulfendahl, M., see Scarfone, E. (54) 247

Von Düring, M., see Drenckhahn, D. (54) 29
Von Perger, M., see Pickles, J.O. (54) 153

Webster, D.B., see Doyle, W.J. (54) 145
Wu, J., see Bancroft, B.R. (54) 20

Zheng, M.S., see Jiang, Z.D. (54) 67
Zheng, X.-y., see Gao, W.-y. (54) 296

Subject Index

ABRs
Cochlear nuclei; Conductive loss; Development; EAM atresias; Monkey (Doyle, W.J. (54) 145)

Acoustic trauma
Efferents; Protection; Outer hair cells; Susceptibility (Patuzzi, R.B. (54) 45)

Aging
Cochlea; Hair cell; Compound action potential; Presbycusis; Hearing loss; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Amino acid
Uptake; Neurotransmitter; Hair cell (Bobbin, R.P. (54) 135)

Anaesthetics
Vestibular; Type I hair cell; Barbiturate; Ketamine; Isolated cells (Scarfone, E. (54) 247)

Anesthesia
Auditory brainstem response; Auditory evoked potential; Low-frequency potential; Slow-wave; Ketamine; Gerbil (Smith, D.I. (54) 1)

Aspirin
Hearing loss, chemical-induced; Chinchilla; Hearing loss, noise-induced; Salicylate; Threshold shift (Bancroft, B.R. (54) 20)

Auditory
Brainstem auditory evoked responses; Development; Brainstem; Normative study; Children (Jiang, Z.D. (54) 67)

Auditory brainstem response
Auditory evoked potential; Low-frequency potential; Slow-wave; Anesthesia; Ketamine; Gerbil (Smith, D.I. (54) 1)

Auditory cortex
Cochlear hearing loss (Harrison, R.V. (54) 11)

Auditory deprivation
Chronic electrical stimulation; Cats; Cochlear nucleus; Neonatal deafness (Hultcrantz, M. (54) 272)

Auditory evoked potential
Auditory brainstem response; Low-frequency potential; Slow-wave; Anesthesia; Ketamine; Gerbil (Smith, D.I. (54) 1)

Auditory nerve fiber
Hyperbilirubinemia; Spontaneous discharge activity; Gunn rat; Cochlear nerve histology (EL Barbary, A. (54) 75)

Hyperbilirubinemia; Frequency threshold tuning; Two-tone rate suppression; Cochlear nonlinearities; Gunn rat (EL Barbary, A. (54) 91)

Auditory system development
Spiral ganglion; Electrical stimulation; Histopathology; Cochlear implant; Neomycin; Ototoxicity (Leake, P.A. (54) 251)

Barbiturate
Vestibular; Type I hair cell; Anaesthetics; Ketamine; Isolated cells (Scarfone, E. (54) 247)

Basilar membrane
Hyaline cells; Contractile proteins; Caiman (Drenckhahn, D. (54) 29)

Brainstem
Brainstem auditory evoked responses; Development; Auditory; Normative study; Children (Jiang, Z.D. (54) 67)

Brainstem auditory evoked responses
Development; Auditory; Brainstem; Normative study; Children (Jiang, Z.D. (54) 67)

Caiman
Hyaline cells; Basilar membrane; Contractile proteins (Drenckhahn, D. (54) 29)

Cats
Chronic electrical stimulation; Cochlear nucleus; Neonatal deafness; Auditory deprivation (Hultcrantz, M. (54) 272)

Chick
Papilla; Hair cell; Stereocilia; Link; Tip link; Development (Pickles, J.O. (54) 153)

Children
Brainstem auditory evoked responses; Development; Auditory; Brainstem; Normative study (Jiang, Z.D. (54) 67)

Chinchilla
Aspirin; Hearing loss, chemical-induced; Hearing loss, noise-induced; Salicylate; Threshold shift (Bancroft, B.R. (54) 20)

Chronic electrical stimulation
Cats; Cochlear nucleus; Neonatal deafness; Auditory deprivation (Hultcrantz, M. (54) 272)

Cochlea
Stria vascularis; Melanin; Strain difference; Guinea pig (Hoeffding, V. (54) 39)

Aging; Hair cell; Compound action potential; Presbycusis; Hearing loss; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Cochlear coordinates
Critical bandwidth; Masking; Consonance; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

Cochlear hearing loss
Auditory cortex (Harrison, R.V. (54) 11)

Cochlear implant
Spiral ganglion; Electrical stimulation; Histopathology; Auditory system development; Neomycin; Ototoxicity (Leake, P.A. (54) 251)

Cochlear nerve histology
Hyperbilirubinemia; Auditory nerve fiber; Spontaneous discharge activity; Gunn rat (EL Barbary, A. (54) 75)

Cochlear nonlinearities
Hyperbilirubinemia; Auditory nerve fiber; Frequency threshold tuning; Two-tone rate suppression; Gunn rat (EL Barbary, A. (54) 91)

Cochlear nuclei
ABRs; Conductive loss; Development; EAM atresias; Monkey (Doyle, W.J. (54) 145)

Cochlear nucleus
Chronic electrical stimulation; Cats; Neonatal deafness; Auditory deprivation (Hultcrantz, M. (54) 272)

Cochlear vibration
Outer hair cell; Feedback; Model (Geisler, C.D. (54) 105)

Combination tones
Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

Compound action potential
Cochlea; Aging; Hair cell; Presbycusis; Hearing loss; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Conductive loss
ABRs; Cochlear nuclei; Development; EAM atresias; Monkey (Doyle, W.J. (54) 145)

Consonance
Critical bandwidth; Masking; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

Contractile proteins
Hyaline cells; Basilar membrane; Caiman (Drenckhahn, D. (54) 29)

Critical bandwidth
Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

DC potential
Endolymphatic sac; Ionic activity; Longitudinal flow (Ikeda, K. (54) 118)

Development
Brainstem auditory evoked responses; Auditory; Brainstem; Normative study; Children (Jiang, Z.D. (54) 67)

ABRs; Cochlear nuclei; Conductive loss; EAM atresias; Monkey (Doyle, W.J. (54) 145)

Chick; Papilla; Hair cell; Stereocilia; Link; Tip link (Pickles, J.O. (54) 153)

Dominance
Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Suppression (Greenwood, D.D. (54) 209)

EAM atresias
ABRs; Cochlear nuclei; Conductive loss; Development; Monkey (Doyle, W.J. (54) 145)

Efferents
Acoustic trauma; Protection; Outer hair cells; Susceptibility (Patuzzi, R.B. (54) 45)

Electrical stimulation
Spiral ganglion; Histopathology; Cochlear implant; Auditory system development; Neomycin; Ototoxicity (Leake, P.A. (54) 251)

Endolymph
Inner ear; Interdental cells; Tectorial membrane; Pilocarpine; Secretion (Prieto, J.J. (54) 59)

Endolymphatic sac
Ionic activity; DC potential; Longitudinal flow (Ikeda, K. (54) 118)

Feedback
Cochlear vibration; Outer hair cell; Model (Geisler, C.D. (54) 105)

Frequency threshold tuning
Hyperbilirubinemia; Auditory nerve fiber; Two-tone rate suppression; Cochlear nonlinearities; Gunn rat (EL Barbary, A. (54) 91)

Gain control
Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Dominance; Suppression (Greenwood, D.D. (54) 209)

Gerbil
Auditory brainstem response; Auditory evoked potential; Low-frequency potential; Slow-wave; Anesthesia; Ketamine (Smith, D.I. (54) 1)

Guinea pig
Cochlea; Stria vascularis; Melanin; Strain difference (Hoeffding, V. (54) 39)

Gunn rat
Hyperbilirubinemia; Auditory nerve fiber; Spontaneous discharge activity; Cochlear nerve histology (EL Barbary, A. (54) 75)

Hyperbilirubinemia; Auditory nerve fiber; Frequency threshold tuning; Two-tone rate suppression; Cochlear nonlinearities (EL Barbary, A. (54) 91)

Hair cell
Cochlea; Aging; Compound action potential; Presbycusis; Hearing loss; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Amino acid; Uptake; Neurotransmitter (Bobbin, R.P. (54) 135)

Chick; Papilla; Stereocilia; Link; Tip link; Development (Pickles, J.O. (54) 153)

Hearing loss
Cochlea; Aging; Hair cell; Compound action potential; Presbycusis; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Hearing loss, chemical-induced
Aspirin; Chinchilla; Hearing loss, noise-induced; Salicylate; Threshold shift (Bancroft, B.R. (54) 20)

Hearing loss, noise-induced
Aspirin; Hearing loss, chemical-induced; Chinchilla; Salicylate; Threshold shift (Bancroft, B.R. (54) 20)

Histopathology
Spiral ganglion; Electrical stimulation; Cochlear implant; Auditory system development; Neomycin; Ototoxicity (Leake, P.A. (54) 251)

Hyaline cells
Basilar membrane; Contractile proteins; Caiman (Drenckhahn, D. (54) 29)

Hyperbilirubinemia
Auditory nerve fiber; Spontaneous discharge activity; Gunn rat; Cochlear nerve histology (EL Barbary, A. (54) 75)

Auditory nerve fiber; Frequency threshold tuning; Two-tone rate suppression; Cochlear nonlinearities; Gunn rat (EL Barbary, A. (54) 91)

Immunocytochemistry
Nucleus magnocellularis; Nucleus laminaris; Superior olive; Receptor autoradiography (Code, R.A. (54) 281)

Impulse noise
Stereocilia; Threshold shift; Tectorial membrane (Gao, W.-y. (54) 296)

Inner ear
Interdental cells; Tectorial membrane; Endolymph; Pilocarpine; Secretion (Prieto, J.J. (54) 59)

Interdental cells
Inner ear; Tectorial membrane; Endolymph; Pilocarpine; Secretion (Prieto, J.J. (54) 59)

Interferometer
Manubrium; Vibration mode; Rotation axis (Decraemer, W.F. (54) 305)

Ionic activity
Endolymphatic sac; DC potential; Longitudinal flow (Ikeda, K. (54) 118)

Isolated cells
Vestibular; Type I hair cell; Anaesthetics; Barbiturate; Ketamine (Scarfone, E. (54) 247)

Ketamine
Auditory brainstem response; Auditory evoked potential; Low-frequency potential; Slow-wave; Anesthesia; Gerbil (Smith, D.I. (54) 1)

Vestibular; Type I hair cell; Anaesthetics; Barbiturate; Isolated cells (Scarfone, E. (54) 247)

Link
Chick; Papilla; Hair cell; Stereocilia; Tip link; Development (Pickles, J.O. (54) 153)

Longitudinal flow
Endolymphatic sac; Ionic activity; DC potential (Ikeda, K. (54) 118)

Low-frequency potential
Auditory brainstem response; Auditory evoked potential; Slow-wave; Anesthesia; Ketamine; Gerbil (Smith, D.I. (54) 1)

Manubrium
Vibration mode; Rotation axis; Interferometer (Decraemer, W.F. (54) 305)

Masking
Critical bandwidth; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

Melanin
Cochlea; Stria vascularis; Strain difference; Guinea pig (Hoeffding, V. (54) 39)

Model
Cochlear vibration; Outer hair cell; Feedback (Geisler, C.D. (54) 105)

Mongolian gerbil
Cochlea; Aging; Hair cell; Compound action potential; Presbycusis; Hearing loss (Tarnowski, B.I. (54) 123)

Monkey
ABRs; Cochlear nuclei; Conductive loss; Development; EAM atresias (Doyle, W.J. (54) 145)

Neomycin
Spiral ganglion; Electrical stimulation; Histopathology; Cochlear implant; Auditory system development; Ototoxicity (Leake, P.A. (54) 251)

Neonatal deafness
Chronic electrical stimulation; Cats; Cochlear nucleus; Auditory deprivation (Hultcrantz, M. (54) 272)

Neurotransmitter
Amino acid; Uptake; Hair cell (Bobbin, R.P. (54) 135)

Nonlinearity
Critical bandwidth; Masking; Consonance; Cochlear coordinates; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Cochlear coordinates; Combination tones; Gain control; Dominance; Suppression (Greenwood, D.D. (54) 209)

Normative study
Brainstem auditory evoked responses; Development; Auditory; Brainstem; Children (Jiang, Z.D. (54) 67)

Nucleus laminaris
Nucleus magnocellularis; Superior olive; Immunocytochemistry; Receptor autoradiography (Code, R.A. (54) 281)

Nucleus magnocellularis
Nucleus laminaris; Superior olive; Immunocytochemistry; Receptor autoradiography (Code, R.A. (54) 281)

Ototoxicity
Spiral ganglion; Electrical stimulation; Histopathology; Cochlear implant; Auditory system development; Neomycin (Leake, P.A. (54) 251)

Outer hair cell
Cochlear vibration; Feedback; Model (Geisler, C.D. (54) 105)

Outer hair cells
Efferents; Acoustic trauma; Protection; Susceptibility (Patuzzi, R.B. (54) 45)

Papilla
Chick; Hair cell; Stereocilia; Link; Tip link; Development (Pickles, J.O. (54) 153)

Pilocarpine
Inner ear; Interdental cells; Tectorial membrane; Endolymph; Secretion (Prieto, J.J. (54) 59)

Presbycusis
Cochlea; Aging; Hair cell; Compound action potential; Hearing loss; Mongolian gerbil (Tarnowski, B.I. (54) 123)

Protection
Efferents; Acoustic trauma; Outer hair cells; Susceptibility (Patuzzi, R.B. (54) 45)

Receptor autoradiography
Nucleus magnocellularis; Nucleus laminaris; Superior olive; Immunocytochemistry (Code, R.A. (54) 281)

Rotation axis
Manubrium; Vibration mode; Interferometer (Decraemer, W.F. (54) 305)

Salicylate
Aspirin; Hearing loss, chemical-induced; Chinchilla; Hearing loss, noise-induced; Threshold shift (Bancroft, B.R. (54) 20)

Secretion
Inner ear; Interdental cells; Tectorial membrane; Endolymph; Pilocarpine (Prieto, J.J. (54) 59)

Slow-wave
Auditory brainstem response; Auditory evoked potential; Low-frequency potential; Anesthesia; Ketamine; Gerbil (Smith, D.I. (54) 1)

Spiral ganglion
Electrical stimulation; Histopathology; Cochlear implant; Auditory system development; Neomycin; Ototoxicity (Leake, P.A. (54) 251)

Spontaneous discharge activity
Hyperbilirubinemia; Auditory nerve fiber; Gunn rat; Cochlear nerve histology (EL Barbary, A. (54) 75)

Stereocilia
Chick; Papilla; Hair cell; Link; Tip link; Development (Pickles, J.O. (54) 153)

Impulse noise; Threshold shift; Tectorial membrane (Gao, W.-y. (54) 296)

Strain difference
Cochlea; Stria vascularis; Melanin; Guinea pig (Hoeffding, V. (54) 39)

Stria vascularis
Cochlea; Melanin; Strain difference; Guinea pig (Hoeffding, V. (54) 39)

Superior olive
Nucleus magnocellularis; Nucleus laminaris; Immunocytochemistry; Receptor autoradiography (Code, R.A. (54) 281)

Suppression
Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance (Greenwood, D.D. (54) 164)

Critical bandwidth; Masking; Consonance; Cochlear coordinates; Nonlinearity; Combination tones; Gain control; Dominance (Greenwood, D.D. (54) 209)

Susceptibility
Efferents; Acoustic trauma; Protection; Outer hair cells (Patuzzi, R.B. (54) 45)

Tectorial membrane
Inner ear; Interdental cells; Endolymph; Pilocarpine; Secretion (Prieto, J.J. (54) 59)

Impulse noise; Stereocilia; Threshold shift (Gao, W.-y. (54) 296)

Threshold shift
Aspirin; Hearing loss, chemical-induced; Chinchilla; Hearing loss, noise-induced; Salicylate (Bancroft, B.R. (54) 20)

Impulse noise; Stereocilia; Tectorial membrane (Gao, W.-y. (54) 296)

Tip link
Chick; Papilla; Hair cell; Stereocilia; Link; Development (Pickles, J.O. (54) 153)

Two-tone rate suppression
Hyperbilirubinemia; Auditory nerve fiber; Frequency threshold tuning; Cochlear nonlinearities; Gunn rat (EL Barbary, A. (54) 91)

Type I hair cell
Vestibular; Anaesthetics; Barbiturate; Ketamine; Isolated cells (Scarfone, E. (54) 247)

Uptake
Amino acid; Neurotransmitter; Hair cell (Bobbin, R.P. (54) 135)

Vestibular
Type I hair cell; Anaesthetics; Barbiturate; Ketamine; Isolated cells (Scarfone, E. (54) 247)

Vibration mode
Manubrium; Rotation axis; Interferometer (Decraemer, W.F. (54) 305)